





AC-65550 Seafoam



AC-65566 Smoke




AC-65553 Pebble




AC-65554 Arctic




AC-65555 Stone



AC-65556 Latte




AC-65557 Butterscotch



AC-65558 Terracotta



AC-65559 Garnet




AC-65560 Cappuccino




AC-65561 Avocado



AC-65562 Herb



AC-65563 Mint



AC-65564 Sky



AC-65565 Midnight



AC-65567 Onyx



AC-65551 Ash



AC-65552 Sand

Performance Summary

- Enhanced abrasion resistance
- Enhanced ink resistance
- Bleach-solution cleanable
- Enhanced fade resistance
- Indoor / Outdoor

Environmental

- LBC Red List Free
- REACH Compliant
- RoHS Compliant
- OEKO-TEX Standard 100 Certified
- No PFAS, fluorocarbons or perfluorinated compounds
- No added flame retardants
- No added antimicrobials
- Formulated without Phthalates

Cleaning and Maintenance

Cleaning Code: **(W-S)** For water-based stains use water-based cleaners. For oil-based stains use solvent-based cleaners. We recommend using a professional cleaning service.

Bleach solutions of up to 10% may be used for more difficult stains.

Dye lots may vary slightly.

* This term and any corresponding data refer to the typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

** Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be an indicator of increased lifespan.

Specifications



Content	100% Silicone
Backing	100% Polyester
Weight	35.34 oz./lin. yd. ± 1 oz.
Width	54 inches
Roll Size	30 yards

Performance Characteristics

Abrasion Resistance** Wyzenbeek	Exceeds 200,000 double rubs - heavy duty
Colorfastness to Light AATCC-16	1200 Hours, Class 4.5
Crocking AATCC-8	Dry: Class 5.0, Wet: Class 5.0

Flammability*

BS 5852 (Crib 5)	Passed
BS EN 1021-1:1994 (Cigarette)	Passed
BS EN 1021-2:1994 (Match)	Passed
California Technical Bulletin 117-2013 Section 1	Passed
IMO 2010 FTP Code, Part 8	Passed
NFPA 260	Class 1
UFAC	Class 1

C.F. Stinson, LLC
2849 Product Drive
Rochester Hills, MI 48309

P 800 841 6279
F 248 299 3884

cfstinson.com