

Name

Spectral Array

Designer

Suzanne Tick

Style No.

4103

Collection

Fabric of Space

Use

Upholstery

Content

100% UV Polyester

Abrasion

Wyzenbeek 63,000
double rubs


Environmental

Heavy Metal Free
Fluorine Free Stain
Repellent
Greenguard Gold
Certified




Spectral Array by Luum


As we adjust to new environments, ways of communicating and listening, mental health plays a pivotal part in our emotional experience in a space. Spectral Array's multi-color, large scale pattern nods directly to this phenomenon, taking inspiration from spectrograms; diagrams that map the amplitude of light and sound waves emitted during a physical event, such as the firing of neurons in the brain. Spectral Array's generous pattern envelops the user in organic, colorful movement and opens the possibilities for large expanses of color and pattern on furniture. Independent moments of chenille and slub yarns collage together creating a greater whole, bringing a balance of energy and calmness to a space. Spectral Array comes in 8 distinctive colorways, is bleach cleanable and has high-UV indoor lightfast performance.



Mindstream 4103-06



Cerebral 4103-05




Arbor Vitae 4103-07




Magnetic 4103-01




Limbic 4103-02



Theta Wave 4103-08



Resonance 4103-03



Red Nucleus 4103-04

Name

Spectral Array

Style No.

4103

Designer

Suzanne Tick

Specification

Use: Upholstery

Content: 100% UV Polyester

Weight: 27.94 oz per linear yard

Width: 56.5"

Pattern Repeat: Horizontal 56.5", Vertical 114.75" Random Match

Directional: Yes

Finish

Acrylic Backing

Stain Repellent

Performance

Abrasion: ASTM D4157 Wyzenbeek 63,000 double rubs

Breaking Strength: ASTM D5034 Warp 169 lbf, Weft 433 lbf

Seam Slippage: ASTM D4034 Warp 75 lbf, Weft 99 lbf

Colorfastness to Light: AATCC 16, Grade 4 at 400 - 1,200 Hours

Colorfastness to Crocking: AATCC 8, Wet Class 3, Dry Class 4

Pilling: ASTM D3511 (Brush Pill), Class 5

Flame Retardancy

Cal TB 117-2013, NFPA 260, UFAC Class 1

Maintenance

W, Clean with a water-based cleaning agent. Do not use solvent products.

Bleach Cleanable: 20% (4:1 Ratio), wipe with water after solution.

Environmental

Heavy Metal Free

Fluorine Free Stain Repellent

Greenguard Gold Certified

Origin

USA

Dye lots may vary slightly from samples shown. Samples shown off the bolt.



Graphic shows one full repeat.

Canada

877.705.LUUM
luumtextiles.ca

USA

877.705.LUUM
luumtextiles.com

International

919.464.2922
luumtextiles.com

cdn/us/int/02-22

© Luum™ 2022, all rights reserved.

*,™ Trademarks used under license by Luum™, Spectral Array™

*Certification Marks owned by the Association for Contract Textiles, Inc.

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

Multiple factors affect fabric durability and appearance retention.

SC-305-4103