

LEVELS

178-007, Parchment

TECHNICAL INFORMATION

CATEGORY: Panel

CONTENT: 100% Post-Consumer Recycled Polyester

BACKING: Acrylic

FINISH: None

WIDTH: 66"

WEIGHT: 11.7 oz./ln yd

VISUAL REPEAT: 0.063 in/0.16 cm H, 0.063 in/0.16 cm V

SHOWN RAILOADED: No

DIRECTIONAL: Yes

APPROX. ROLL SIZE: 60 yards

APPLICATION: Indoor

PERFORMANCE



BREAKING STRENGTH: Warp 460.0 / Fill 324.0

COLORFASTNESS TO CROCKING: Dry: Class 4 min/Wet: Class 3 min

COLORFASTNESS TO LIGHT: 4 min at 40 hours

PILLING RESISTANCE: Class 4

SEAM SLIPPAGE: Warp 7.0 / Fill 28.0

FLAMMABILITY

PASSES CAL TB 117-2013

NFPA 260/UFAC CLASS 1

AB 2998 COMPLIANT

ASTM E84 CLASS 1 OR A (UNADHERED)



- REDUCED ENVIRONMENTAL IMPACT
- GREENGUARD GOLD CERTIFIED
- PFAS FREE
- NO FR ADDITIVES
- NO ANTIMICROBIAL ADDITIVES
- NO ANTIBACTERIAL ADDITIVES
- LEAD/HEAVY METAL FREE
- FORMALDEHYDE FREE
- TRIS FREE
- PROP 65 COMPLIANT
- REACH COMPLIANT
- HPD AVAILABLE
- ROHS COMPLIANT
- MILLED IN AMERICA
- RED LIST FREE
- DOES NOT CONTAIN CONFLICT MINERALS

## WARRANTY

PANEL | '5' FIVE YEAR WARRANTY

See [Warranty Terms](#) for more information.

## DYE TRANSFER DISCLAIMER

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Mayer Fabrics will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

## ADDITIONAL INFORMATION

Custom Colors: All patterns can be custom colored. Minimum yardage applies.

Digital Swatch Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

## CLEANING & MAINTENANCE

WS: Water/Solvent Cleaner - Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding. Always rinse promptly with clean water.

BC: Bleach Cleanable - 1 parts bleach, 10 parts water = 9% bleach, 91% water solution. Do not clean / disinfect fabric for longer than 10 minutes using the 9% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.



® This 100% polyester fabric is included in the Underwriter's Laboratory Fabric Recognition Program. Additional testing of this U.L. recognized component is not required on approved panels from participating manufacturers.




**LEVELS COLORS (7)**




**Earth**  
178-000



**Desert Sand**  
178-002




**Green Tea**  
178-003



**Blue Mist**  
178-004



**Shadow**  
178-006



**Cement**  
178-016



**Parchment**  
178-007